Refine Search

Search Results -

Term .	Documents
(15 AND 17).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	158
(L17 AND L15).PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD.	158

US Pre-Grant Publication Full-Text Database
US Patents Full-Text Database
US OCR Full-Text Database
EPO Abstracts Database
JPO Abstracts Database
Derwent World Patents Index
IBM Technical Disclosure Bulletins

Search:

L20

Database:

 <u> </u>	Refine Search

Recall Text 🗢

Clear

Interrupt

Search History

DATE: Wednesday, May 04, 2005 Printable Copy Create Case

Set Name side by side	Query	<u>Hit</u> Count	<u>Set</u> <u>Name</u> result set
DB=B	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L20</u>	L17 and 115	158	<u>L20</u>
<u>L19</u>	L17 and 114	0	<u>L19</u>
<u>L18</u>	L17 and 113	981	<u>L18</u>
<u>L17</u>	(packing or pack\$1 or packed or compact\$3 or compress\$5) near5 (data or byte\$1 or word\$1 or bit\$1)	136978	<u>L17</u>
<u>L16</u>	L13 and 16	37	<u>L16</u>
<u>L15</u>	L13 and 15	396	<u>L15</u>
<u>L14</u>	L13 and 14	11	<u>L14</u>
<u>L13</u>	L12 and (less or greater or equal or le or eq or gt or lt) near12 (psw or overflow or zero or carry or sign\$1)	3367	<u>L13</u>
<u>L12</u>	L1 near6 (select\$6 or mask\$6)	7921	<u>L12</u>
<u>L11</u>	17 and 16	16	<u>L11</u>

<u>L10</u>	17 and 15	100	<u>L10</u>
<u>L9</u>	13 and psw	11	<u>L9</u>
<u>L8</u>	12 and psw	83	<u>L8</u>
<u>L7</u>	13 and (less or greater or equal or le or eq or gt or lt) near 12 (psw or overflow or zero or carry or sign\$1)	347	<u>L7</u>
DB=B	PGPB, USPT; PLUR=YES; OP=OR		
<u>L6</u>	(712/18,201,221)[CCLS]	521	<u>L6</u>
<u>L5</u>	(712/2-300)[CCLS]	10928	<u>L5</u>
DB=B	PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR		
<u>L4</u>	L3 and psw	11	<u>L4</u>
<u>L3</u>	L2 near15 (mask\$6 or reset\$5 or updat\$6)	558	<u>L3</u>
<u>L2</u>	L1 near6 (select\$6 or multiplex\$6)	7714	<u>L2</u>
<u>L1</u>	(arithmetic\$3 or carry or overflow\$3 or zero or sign) near5 (bit\$1 or flag\$1)	88501	<u>L1</u>

END OF SEARCH HISTORY



ikome | Login | Logour | Access information | Alt

Welcome United States Patent and Trademark Office

Search Results

EROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((((arithmetic*, overflow, or zero, sign, carry) <	and> (flag*, bit*)) <in>metadata)<and>((pack*, compact*)<in>metadata))<and></and></in></and></in>
(mask* <and> selec*<in>metadata))"</in></and>	

⊠e-mail

Your search matched 19 of 4254 documents.

A maximum	of 100 results are displ	ayed, 25 to a p	page, sorted by Relevance in Descending order.		
View Session	n History				
New Search	L	Modify	Search		
× Key		(((((arit	hmetic*, overflow, 'or' zero, sign, carry) <and> (flag*, bit*))<in>metadata)<=</in></and>		
EEE JNL	IEEE Journal or Magazine	c	theck to search only within this results set		
iee JNL	IEE Journal or Magazine	Displa ₁	y Format: G Citation C Citation & Abstract		
EEE CNF	IEEE Conference Proceeding	Select	Article Information		
HH CNF	IEE Conference Proceeding				
HEE STD	IEEE Standard		 Design of synchronous and asynchronous variable-latency pipelined multipliers Olivieri, M.; Very Large Scale Integration (VLSI) Systems, IEEE Transactions on Volume 9, Issue 2, April 2001 Page(s):365 - 376 		
			AbstractPlus References Full Text: PDE(344 KB) IEEE JNL		
		Ē	 Bit-sliced median filter design based on majority gate Lee, C.L.; Jen, CW.; Circuits, Devices and Systems, IEE Proceedings G Volume 139, Issue 1, Feb. 1992 Page(s):63 - 71 		
			AbstractPlus Full Text: PDF(572 KB) IEE JNL		
		D	 A VLSI architecture for gray-scale morphological filtering and its application Chamg Long Lee; Jzong-Shin Chen; Chein-Wei Jen; Circuits and Systems, 1991., IEEE International Sympoisum on 11-14 June 1991 Page(s):2100 - 2103 vol.4 		
			AbstractPlus Full Text: PDF(404 KB) IEEE CRF		
			4. Synchronous up/down counter with clock period independent of counter size Stan, M.R.; Computer Arithmetic, 1997. Proceedings., 13th IEEE Symposium on 6-9 July 1997 Page(s):274 - 281		
			AbstractPlus Full Text: PDF(608 KB) (SEE CNF		
		D	 A joint source-channel coding scheme for robust image transmission Chande, V.; Farvardin, N.; Data Compression Conference, 1998. DCC '98. Proceedings 30 March-1 April 1998 Page(s):530 		
			AbstractPlus Full Text: PDF(76 KB) : IEEE CNF		
			6. Bit-width selection for data-path implementations Carreras, C.; Lopez, J.A.; Nieto-Taladriz, O.; System Synthesis, 1999. Proceedings. 12th International Symposium on 10-12 Nov. 1999 Page(s):114 - 119		
			AbstractPlus Full Text: PDF(116 KB) IEEE CNF		

	7.	High-performance cellular automata random number generators for embedded probabilistic computin Shackleford, B.; Tanaka, M.; Carter, R.J.; Snider, G.; Evolvable Hardware, 2002. Proceedings. NASA/DoD Conference on 15-18 July 2002 Page(s):191 - 200
		AbstractPlus Full Text: PDE(820 KB) INSTITUTE CNIF
	8.	A practical consistent-quality two-pass VBR video coding algorithm for digital storage application Hai Bing Yin; Xiang Zhong Fang; Li Chen; Jun Hou; Consumer Electronics, IEEE Transactions on Volume 50, Issue 4, Nov. 2004 Page(s):1142 - 1150 AbstractPlus Full Text: PDE(595 KB)
	9.	Fast sequential decoding algorithm based on dynamic searching strategy Lee, CY.; Yang, WW.; Jeng, LF.;
		Communications, IEE Proceedings- Volume 141, Issue 5, Oct. 1994 Page(s):312 - 316
		AbstractPlus Full Text: PDF(376 KB) BEE JNL
	10.	Experimental evaluation of an open-loop all-optical chaotic communication system Argyris, A.; Kanakidis, D.; Bogris, A.; Syvridis, D.; Selected Topics in Quantum Electronics, IEEE Journal of Volume 10, Issue 5, SeptOct. 2004 Page(s):927 - 935
		AbstractPlus References Full Text: PDF(624 KB) NESSE JN).
	11.	Search of optimum gas mixture ratio as gas insulating medium by genetic algorithm Cho, M.; Ishiyama, S.; Ohtsuka, S.; Hikita, M.; Dielectrics and Electrical Insulation, IEEE Transactions on [see also Electrical Insulation, IEEE Transactions or Volume 11, Issue 2, Apr 2004 Page(s):334 - 347
		AbstractPlus Full Text: PDE(1259 KB) ###################################
	12.	Wavelet packet filterbanks for low time delay audio coding Philippe, P.; de Saint-Martin, F.M.; Lever, M.; Speech and Audio Processing, IEEE Transactions on Volume 7, Issue 3, May 1999 Page(s):310 - 322
		AbstractPlus References Full Text: PDF(236 KB) III ### JPNL.
	13.	Performance of closed-loop power control in DS-CDMA cellular systems Chockalingam, A.; Dietrich, P.; Milstein, L.B.; Rao, R.R.; Vehicular Technology, IEEE Transactions on Volume 47, Issue 3, Aug. 1998 Page(s):774 - 789
		AbstractPlus References Full Text: PDF(568 KB) IEEE JNL
	14.	Determining parameters to minimize jitter generation in the SRTS method Walker, J.; Cantoni, A.; Communications, IEEE Transactions on Volume 46, Issue 1, Jan. 1998 Page(s):82 - 90
		AbstractPlus References Full Text: PDF(240 KB) III ### JPN
П	15.	A versatile function generator chip implemented in an I/SUP 2/L gate array Bahraman, A.; Levie, J.H.; Chang, S.Y.S.; Hopkins, M.A.; Hartmann, R.A.; Srour, J.R.; Solid-State Circuits, IEEE Journal of Volume 17, Issue 4, Aug 1982 Page(s):671 - 676
		AbstractPlus Full Text: PDF(1104 KB) IEEE JPK.
	16.	An integration of all refractory Josephson logic LSI circuit Kosaka, S.; Shoji, A.; Aoyagi, M.; Shinoki, F.; Tahara, S.; Ohigashi, H.; Nakagawa, H.; Takada, S.; Hayakawa

Volume 21, Issue 2, Mar 1985 Page(s):102 - 109 AbstractPlus | Full Text: PDF(1216 KB) | IEEE JNL 17. Combined M-ary code shift keying/binary pulse position modulation for ultra wideband communicatio Erkucuk, S.; Dong In Kim; Global Telecommunications Conference, 2004. GLOBECOM '04. IEEE Volume 2, 29 Nov.-3 Dec. 2004 Page(s):804 - 808 Vol.2 AbstractPlus | Full Text: PDE(522 KB) IEEE CNF 18. Reliable transmission of MPEG-2 VBR video streams over new network adaptation and ATM adaptatio Garcia, X.; Olivier, A.; Verscheure, O.; Frossard, P.; IEEE ATM Workshop 1997. Proceedings 25-28 May 1997 Page(s):158 - 167 AbstractPlus | Full Text: PDF(716 KB) IEEE CNF 19. Parity sensitive comparators Fabregat, G.; Marti, J.V.; Leon, G.; Dependable Computing, 1999. Proceedings. 1999 Pacific Rim International Symposium on 16-17 Dec. 1999 Page(s):53 - 59

AbstractPlus | Full Text: PDF(100 KB) IEEE CNF

Contact Us Privac

Ф Copyright 2006 ⊞

indexed by